

Cobalt — Aircraft Type J Jobber Length Drills (continued)

List Nos. 2330 and 2332

SIZE		DEC. EQUIV.	FLUTE LENGTH	OAL	EDP NO.
FRAC-TIONAL	LETTER				
3/8		.3750	3/8	5	17203
	V	.3770	3/8	5	17204
	W	.3860	3/8	5 1/8	17205
25/64		.3906	3/8	5 1/8	17206
	X	.3970	3/8	5 1/8	17207
	Y	.4040	3/8	5 1/4	17208
13/32		.4062	3/8	5 1/4	17209

Foret au cobalt

Broca de cobalto

SIZE		DEC. EQUIV.	FLUTE LENGTH	OAL	EDP NO.
FRAC-TIONAL	LETTER				
	Z	.4130	3/8	5 1/4	17210
27/64		.4219	3 15/16	5 3/8	17211
7/16		.4375	4 1/16	5 1/2	17212
29/64		.4531	4 3/16	5 5/8	17213
15/32		.4687	4 5/16	5 3/4	17214
31/64		.4844	4 3/8	5 7/8	17215
1/2		.5000	4 1/2	6	17216

Carbide Tipped Jobber Length Drills

Heavy duty construction. Excellent wear resistance. Recommended for drilling cast iron, non-ferrous metals, composites, hard plastics, fiberglass and other abrasive non-ferrous materials.

NOT FOR USE IN STEEL.

SIZE		WIRE GAGE	DEC. EQUIV.	FLUTE LENGTH	OAL	EDP NO.
FRAC-TIONAL	LETTER					
1/8		.1250	1 5/8	2 3/4	50358	
		.1285	1 5/8	2 3/4	50359	
		.1360	1 3/4	2 7/8	50360	
9/64		.1405	1 3/4	2 7/8	50361	
		.1406	1 3/4	2 7/8	50362	
		.1440	1 7/8	3	50363	
		.1470	1 7/8	3	50364	
		.1495	1 7/8	3	50365	
		.1520	2	3 1/8	50366	
5/32		.1540	2	3 1/8	50367	
		.1562	2	3 1/8	50368	
		.1570	2	3 1/8	50369	
		.1590	2 1/8	3 1/4	50370	
1 1/64		.1610	2 1/8	3 1/4	50371	
		.1660	2 1/8	3 1/4	50372	
		.1695	2 1/8	3 1/4	50373	
		.1719	2 1/8	3 1/4	50374	
		.1730	2 3/16	3 3/8	50375	
		.1770	2 3/16	3 3/8	50376	
3/16		.1800	2 3/16	3 3/8	50377	
		.1820	2 3/16	3 3/8	50378	
		.1850	2 5/16	3 1/2	50379	
		.1875	2 5/16	3 1/2	50380	
		.1890	2 5/16	3 1/2	50381	
		.1910	2 5/16	3 1/2	50382	
		.1935	2 7/16	3 5/8	50383	
		.1960	2 7/16	3 5/8	50384	
		.1990	2 7/16	3 5/8	50385	
		.2010	2 7/16	3 5/8	50386	
13/64		.2031	2 7/16	3 5/8	50387	
		.2040	2 1/2	3 3/4	50388	
		.2055	2 1/2	3 3/4	50389	
		.2090	2 1/2	3 3/4	50390	
		.2130	2 1/2	3 3/4	50391	
7/32		.2187	2 1/2	3 3/4	50392	
		.2210	2 5/8	3 7/8	50393	
		.2280	2 5/8	3 7/8	50394	
	.2340	2 5/8	3 7/8	50395		
15/64	A	.2344	2 5/8	3 7/8	50396	

Foret à pointe au carbure

Broca con punta de carburo



List No. 5330

118° Point

STANDARD PACKAGE All sizes — 1 each

SIZE		DEC. EQUIV.	FLUTE LENGTH	OAL	EDP NO.
FRAC-TIONAL	LETTER				
1/4	B	.2380	2 3/4	4	50397
	C	.2420	2 3/4	4	50398
	D	.2460	2 3/4	4	50399
	E	.2500	2 3/4	4	50401
17/64	F	.2570	2 7/8	4 1/8	50402
	G	.2610	2 7/8	4 1/8	50403
	H	.2656	2 7/8	4 1/8	50404
	I	.2660	2 7/8	4 1/8	50405
	J	.2720	2 7/8	4 1/8	50406
	J	.2770	2 7/8	4 1/8	50407
9/32	K	.2810	2 15/16	4 1/4	50408
	K	.2812	2 15/16	4 1/4	50409
	L	.2900	2 15/16	4 1/4	50410
19/64	M	.2950	3 1/16	4 3/8	50411
	M	.2969	3 1/16	4 3/8	50412
5/16	N	.3020	3 1/16	4 3/8	50413
	N	.3125	3 3/16	4 1/2	50414
	O	.3160	3 3/16	4 1/2	50415
	P	.3230	3 5/16	4 5/8	50416
	P	.3281	3 5/16	4 5/8	50417
	Q	.3320	3 7/16	4 3/4	50418
11/32	R	.3390	3 7/16	4 3/4	50419
	R	.3437	3 7/16	4 3/4	50420
	S	.3480	3 1/2	4 7/8	50421
	T	.3580	3 1/2	4 7/8	50422
23/64	U	.3594	3 1/2	4 7/8	50423
	U	.3680	3 5/8	5	50424
3/8	V	.3750	3 5/8	5	50425
	V	.3770	3 5/8	5	50426
25/64	W	.3860	3 3/4	5 1/8	50427
	X	.3906	3 3/4	5 1/8	50428
	X	.3970	3 3/4	5 1/8	50429
13/32	Y	.4040	3 7/8	5 1/4	50430
	Y	.4062	3 7/8	5 1/4	50431
	Z	.4130	3 7/8	5 1/4	50432
27/64		.4219	3 15/16	5 3/8	50433
7/16		.4375	4 1/16	5 1/2	50434
29/64		.4531	4 3/16	5 5/8	50435
15/32		.4687	4 5/16	5 3/4	50436
31/64		.4844	4 3/8	5 7/8	50437
1/2		.5000	4 1/2	6	50438